

KVIKGUIDE SÅDAN VÆLGER DU DEN RETTE LØFTESTATION

GRUNDFOS SOLOLIFT2

LØFTESTATIONER




● Fast indgang ○ Ekstra valgfri indgang

	 SOLOLIFT2 WC-1	 SOLOLIFT2 WC-3	 SOLOLIFT2 D-2	 SOLOLIFT2 C-3	 SOLOLIFT2 CWC-3
 Toilet	●	●			
 Væghængt toilet					●
 Urinal	○	○			○
 Håndvask	○	○	○	○	○
 Bidet		○	○	○	○
 Bruser		○	○	○	○
 Badekar				○	
 Vaske-maskine				○	
 Køkkenvask				○	
 Opvaske-maskine				○	
 Vand-blødgører				○	

HURTIG DIMENSIONERING SOLOLIFT2 WC-1






SOLOLIFT2 WC-1



HURTIG DIMENSIONERING SOLOLIFT2 WC-3



SOLOLIFT2 WC-3

Toilet
4-9 lToilet
4-9 l

Håndvask




Bruser



HURTIG DIMENSIONERING SOLOLIFT2 CWC-3



SOLOLIFT2 CWC-3



Væghængt toilet 4-9 l



Væghængt toilet 4-9 l



Håndvask



Bruser

HURTIG DIMENSIONERING SOLOLIFT2 C-3



SOLOLIFT2 C-3



Højde (m)	Flod (l/s)										Rør diameter (mm)
	0,5	1	1,5	2	2,5	3	3,5	4	5	6	
6 m			9	13							Ø36,2 mm
	30	30									Ø28,4 mm
	14	14									Ø26 mm
	4										Ø23 mm
											Ø20 mm
5 m			31	35		3					Ø36,2 mm
	54	54	2,5	4							Ø28,4 mm
	30	30									Ø26 mm
	13										Ø23 mm
	2	2,5									Ø20 mm
4 m			53 fyldte	58	8	14		0,5			Ø36,2 mm
	78	78	9	11							Ø28,4 mm
	45	45	2,5	4,5							Ø26 mm
	21	21									Ø23 mm
	6,5	7									Ø20 mm
3 m			76	80	19	24		7			Ø36,2 mm
	102	102	16	18	1,5	3					Ø28,4 mm
	61	61	7	9,5							Ø26 mm
	30	30	2	2,5							Ø23 mm
	12	12									Ø20 mm
2 m			98	102	29	35		13		3	Ø36,2 mm
	126	128	23	25	5	6,5		1			Ø28,4 mm
	77	76	12	14	1	2,5					Ø26 mm
	39	39	5	5,5							Ø23 mm
	16	16	0,5	0,5							Ø20 mm
1 m			120	124	38	46		20		7	Ø36,2 mm
	150	150	30	32	9	10		3,5		0,5	Ø28,4 mm
	92	92	17	19	3,5	5		1,5			Ø26 mm
	47	47	8	8,5	1	1,5					Ø23 mm
	20	21	2,5	2,5							Ø20 mm
0 m	0,5 l/s		1 l/s		1,5 l/s		2 l/s		2,5 l/s		3 l/s

— $\sqrt{\quad}$ — $(\sqrt{\quad})$ —

HURTIG DIMENSIONERING SOLOLIFT2 D-2

**SOLOLIFT2 D-2**

	x				
4 m					Ø28,4 mm
3 m	6				Ø20 mm
		24			Ø28,4 mm
2 m	22	0,1			Ø20 mm
		47	3		Ø28,4 mm
1 m	37	4,5			Ø20 mm
		71	10		Ø28,4 mm
0 m	52	9,5			Ø20 mm
	0,25 l/s	0,5 l/s	1 l/s	1,5 l/s	